

Prehospital / Emergency CPAP Bibliography

1. Rasanen J, Heikkila J, Downs J, et al. Continuous positive airway pressure by face mask in acute cardiogenic pulmonary edema. *Am J Cardiol.* 1985;55:296-300.
2. Rasanen J, Vaisanen IT, Heikkila J, et al. Acute myocardial infarction complicated by left ventricular dysfunction and respiratory failure. The effects of continuous positive airway pressure. *Chest.* 1985;87:158-162.
3. Bersten AD, Holt AW, Vedig AE, et al. Treatment of severe cardiogenic pulmonary edema with continuous positive airway pressure delivered by face mask. *N Engl J Med.* 1991;325:1825-1830.
4. Lin M, Yang YF, Chiang HT, Chang MS, Chiang BN, Cheitlin MD. Reappraisal of continuous positive airway pressure therapy in acute cardiogenic pulmonary edema. Short-term results and long-term follow-up. *Chest* 1995;107(5):1379-86.
5. Mehta S, Jay GD, Woolard RH, et al. Randomized, prospective trial of bi-level versus continuous positive airway pressure in acute pulmonary edema. *Crit Care Med.* 1997;25:620-628.
6. L'Her E, Moriconi M, Texier F, et al. Non-invasive continuous positive airway pressure in acute hypoxaemic respiratory failure—experience of an emergency department. *Eur J Emerg Med.* 1998;5:313-318.
7. Craven RA, Singletary N, Bosken L, et al. Use of bi-level positive airway pressure in out-of-hospital patients. *Acad Emerg Med.* 2000;7:1065-1068.
8. Keenan SP, Grego J, Sibbald WJ. NPPV in the setting of severe, acute exacerbations of COPD. *Crit Care Med.* 2000;28:2094-2102.
9. Kosowsky JM, Stephanides SL, Branson RD, et al. Prehospital use of continuous positive airway pressure (CPAP) for presumed pulmonary edema: A preliminary case series. *Prehosp Emerg Care.* 2001;5:190-196.
10. Kallio T, Kuisma M, Alaspaa A, Rosenberg PH. The use of prehospital continuous positive airway pressure treatment in presumed acute severe pulmonary edema. *Prehosp Emerg Care* 2003;7(2):209-13.
11. Mosesso VN Jr., Dunford J, Blackwell T, et al. Prehospital therapy for acute congestive heart failure: State of the art. *Prehosp Emerg Care.* 2003;7:13-23.
12. Templier F, Dolveck F, Baer M, et al. "Boussignac" continuous positive airway pressure system: practical use in a prehospital medical care unit. *Eur J Emerg Med.* 2003;10:87-93.
13. Park M, Sangean MC, Volpe Mde S, et al. Randomized, prospective trial of oxygen, continuous positive airway pressure, and bi-level positive airway pressure by face mask in acute cardiogenic pulmonary edema. *Crit Care Med* 2004;32(12):2407-15.



14. Crane SD, Elliott MW, Gilligan P, Richards K, Gray AJ. Randomised controlled comparison of continuous positive airways pressure, bi-level non-invasive ventilation, and standard treatment in emergency department patients with acute cardiogenic pulmonary oedema. *Emerg Med J.* 2004 Mar;21(2):155–61.
15. L'Her E, Duquesne F, Girou E, de Rosiere XD, Le Conte P, Renault S, Allamy JP, Boles JM. Noninvasive continuous positive airway pressure in elderly cardiogenic pulmonary edema patients. *Intensive Care Med.* 2004 May;30(5):882–8.
16. Squadrone V, Coha M, Cerutti E, et al. Continuous positive airway pressure for treatment of postoperative hypoxemia: a randomized controlled trial. *JAMA.* 2005;293:589–595.
17. Hess DR. Noninvasive positive-pressure ventilation and ventilator associated pneumonia. *Respir Care.* 2005;50:924–929.
18. Masip J, Roque M, Sanchez B, et al. Noninvasive ventilation in acute cardiogenic pulmonary edema: systematic review and metaanalysis. *JAMA.* 2005;294:3124–3130.
19. Hubble MW, Richards ME, Jarvis R, Millikan T, Young D. Effectiveness of prehospital continuous positive airway pressure in the management of acute pulmonary edema. *Prehosp Emerg Care* 2006;10(4):430–9.
20. Alexander JL. Use of continuous positive airway pressure in rural emergency medical services systems for acute pulmonary edema. *Acad Emerg Med.* 2006;13(5 suppl 1):S66.
21. Peter JV, Moran JL, Phillips-Hughes J, et al. Effect of non-invasive positive pressure ventilation (NIPPV) on mortality in patients with acute cardiogenic pulmonary edema: A meta-analysis. *Lancet.* 2008;367(9517):1155–1163.
22. Winck JC, Azevedo LF, Costa-Pereira A, et al. Efficacy and safety of non-invasive ventilation in the treatment of acute cardiogenic pulmonary edema—a systematic review and meta-analysis. *Crit Care.* 2006;10:R49.
23. Wang HE, Yealy DM. Out-of-hospital endotracheal intubation: where are we? *Ann Emerg Med.* 2006;47:532–541.
24. Collins SP, Mierniczuk LM, Whittingham HA, et al. The use of noninvasive ventilation in emergency department patients with acute cardiogenic pulmonary edema: A systematic review. *Ann Emerg Med.* 2006;48:260–269.
25. Hill NS, Brennan J, Garpestad E, et al. Noninvasive ventilation in acute respiratory failure. *Crit Care Med.* 2007;35:2402–2407.
26. Plaisance P, Pirracchio R, Berton C, et al. A randomized study of out-of-hospital continuous positive airway pressure for acute cardiogenic pulmonary oedema: physiological and clinical effects. *Eur Heart J.* 2007;28:2895–901.
27. Weitz G, Struck J, Zonak A, et al. Prehospital noninvasive pressure support ventilation for acute cardiogenic pulmonary edema. *Eur J Emerg Med.* 2007;14:276–9.
28. State of the Science – Prehospital Emergency Care. Presentations at the US Metropolitan Municipalities EMS Medical Directors (Eagles) meeting 2007. *JEMS Supplement Oct 2007.*
29. Bruge P, Jabre P, Dru M, et al. An observational study of noninvasive positive pressure ventilation in an out-of-hospital setting. *Am J Emerg Med.* 2008;26:165–9.
30. Gray A, Goodacre S, Newby DE, et al. Noninvasive ventilation in acute cardiogenic pulmonary edema. *N Engl J Med.* 2008;359:142–151.

31. Hubble MW, Richards ME, Wilfong DA. Estimates of cost-effectiveness of prehospital continuous positive airway pressure in the management of acute pulmonary edema. *Prehosp Emerg Care*. 2008;12:277–285.
32. Thompson J, Petrie DA, Ackroyd-Stolarz S, et al. Out-of-hospital continuous positive airway pressure ventilation versus usual care in acute respiratory failure: A randomized controlled trial. *Ann Emerg Med*. 2008;52:232–243.
33. Vital FM. Non-invasive positive pressure ventilation (CPAP or bi-level NPPV) for cardiogenic pulmonary edema. *Cochrane Database Syst Rev*. 2008;16:CD005351.
34. Quon BS, Gan WQ, Sin DD. Contemporary management of acute exacerbations of COPD: A systematic review and metaanalysis. *Chest*. 2008;133:756–766.
35. Baird JS, Spiegelman JB, Prianti, et al. Noninvasive ventilation during pediatric interhospital ground transport. *Prehosp Emerg Care*. 2009;13:198–202.
36. Warner GS. Evaluation of the effect of prehospital application of continuous positive airway pressure therapy in acute respiratory distress. *Prehosp Disaster Med*. 2010;25:87–91.
37. Sepaul RA. Evidence-based emergency medicine/systematic review abstract. Should I consider treating patients with acute cardiogenic pulmonary edema with noninvasive positive pressure ventilation? *Ann Emerg Med*. 2010;55:299–300.
38. Weng CL, Zhao YT, Liu QH. Meta-analysis: Noninvasive ventilation in acute cardiogenic pulmonary edema. *Ann Intern Med*. 2010;152:590–600.
39. Schmidbauer W, Ahlers O, Spies C, et al. Early prehospital use of non-invasive ventilation improves acute respiratory failure in acute exacerbation of chronic obstructive pulmonary disease. *Emerg Med J*. 2010;doi:10.1136/emj.2009.089102.
40. National Association of EMS Physicians. Position Statements – Noninvasive Positive Pressure Ventilation. *Prehosp Emerg Care*. 2011;15:418.
41. Daily JC, Wang HE. Noninvasive positive pressure ventilation: Resource document for the National Association of EMS Physicians position statement. *Prehosp Emerg Care*. 2011;15:432–438.

Updated 7/20/11